

MANUFACTURE STANDARD, MANUFACTURE RELIANCE

Chemray 120

Automated Chemistry Analyzer

NEW



Features

- Automatic, Random Access
- up to 100 tests per hour
- Reagent pre-heating, liquid level detection
- Labor saving, simple programming and real walk-away operation
- Reagent open system, close system on request
- Micro-volume for sample and reagent
- User-friendly software, simplicity and flexibility for operation
- Multi-language software available
- Sample position up to 42 positions



get the **Guaranteed Satisfaction** from us

Chemray 120

Automated Chemistry Analyzer



Technical Specifications

System Function

- Throughput: up to 100 tests per hour
- Contents of testing: Clinical chemistry, Immunturbidimetric
- Analytical modes: End-point, Two-point, Kinetic
- Programming: Open system with user defined programs
- Automatic, Random Access
- STAT sample priority

Sample Tray

- Sample position: 42 positions for samples (1-9 fixed, 10 - 42 removable)
- Sample volume: 3 ~ 45 μL , 0.5 μL adjustable
- Any position for standard and quality control setting

Reagent Tray

- Reagent position: 26 positions for reagents
- Reagent volume
 - R1: 180 ~ 450 μL , 1 μL adjustable
 - R2: 3 ~ 450 μL , 1 μL adjustable

Reaction Tray

- Reaction positions: 90 cuvettes, 10 cuvettes/strip
- Cuvette: Optical length 5mm
- Reaction volume: 180 ~ 500 μL
- Reaction temperature: 37 $^{\circ}\text{C}$, fluctuation $\pm 0.3^{\circ}\text{C}$

Probe

- Pre-heating for reagent
- Collision protection, Liquid level detection and Inventory checking
- Automatic inner and outer probe washing after every cycle, carry-over <0.1%

Print out

- Built-in thermal printer, external printer optional

Measuring and Optic System

- Lamp: Halogen lamp
- Absorbance range: 0 ~ 3.500Abs
- Wavelengths: 8 wavelengths from 320-850nm
- Resolution: 0.0001ABS

Working Condition

- Power supply: 100-240 VAc 50/60 Hz
- Temperature: 10 ~ 35 $^{\circ}\text{C}$
- Humidity: 35 ~ 80%
- Water consumption: <3 L/hour
- Dimension L×W×H(mm): 630×480×510
- Net weight: 70 KG



Status Menu



QC Graph



Rayto reserves the right to change specifications without prior notice.

Rayto Life and Analytical Sciences Co.,Ltd.

2nd Floor, 5th Building, Software Park, NO.2, Gaoxinzhong
3rd Road, High-tech Industrial Park, Nanshan,
Shenzhen 518057, P.R. China
Tel: +86(755)86168996 Fax: +86(755)86168796
Email: info@rayto.com

get the **Guaranteed Satisfaction** from us